



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/037,992	10/18/2001	David Collodi	7871/13	7838
7590	04/06/2005		EXAMINER	
William F. Prendergast Brinks Hofer Gilson & Lione NBC Tower, Suite 3600 P.O. Box 10395 Chicago, IL 60610			NGUYEN, PHU K	
		ART UNIT	PAPER NUMBER	
		2673		
DATE MAILED: 04/06/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/037,992	COLLODI, DAVID	
	Examiner	Art Unit	
	Phu K. Nguyen	2673	

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address -
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 22 September 2004.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-51 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-51 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date _____.

- 4) Interview Summary (PTO-413)
 Paper No(s)/Mail Date. _____ . GROUP 2400
- 5) Notice of Informal Patent Application (PTO-152)
- 6) Other: _____.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over HO et al. (WO 95/06298).

As per claim 1, Ho teaches the claimed “graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system” (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to perform a sequence of lighting calculations that generate lighting equation lighting coefficients for a plurality of the drawn pixels (Ho, TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. user programmable hardware logic communicating with the dedicated hardware logic to receive the lighting coefficients and perform additional shading calculations using the lighting coefficients (Ho, e.g., TimageMapShader, page 24, lines 33-36; TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as “per-pixel” as claimed. However, Ho’s shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as “per-pixel” as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H’s system as claimed because

the process “per-pixel” of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 2 adds into claim 1 “the dedicated hardware logic communicates with the programmable hardware logic through one or more shared registers” which Ho does not explicitly teach. However, it would have been obvious for the hardware logics to communicate through the shared registers because the use of common shared registers improves the simplification of the hardware and reduces the cost to build the logic (Ho, page 24, lines 33-37).

Claim 3 adds into claim 1 “the dedicated hardware logic comprises logic that uses the lighting coefficients in the calculation of a color value” which H teaches in page 19, lines 3-13.

Claim 4 adds into claim 1 “the dedicated hardware logic includes a vector generation unit that receives vertex values for the polygon surfaces and calculates a 3-dimensional, unit-length surface normal vector” which Ho teaches in page 17, line 16 (e.g., surface normal N).

Claim 5 adds into claim 4 “the vector generation unit calculates a 3-dimensional, unit-length view reflection vector” which Ho teaches in page 17, line 19 (Light Reflection vector R).

Claim 6 adds into claim 1 “the dedicated hardware logic includes a point light unit that calculates normalized point light vectors” which Ho teaches in page 17, line 17 (Light vector L)

Claim 7 adds into claim 6 “the point light unit calculates scalar distance coefficients” which Ho teaches in page 17, lines 14-15 (Light attenuation factor).

Claim 8 adds into claim 1 “the dedicated hardware logic includes a vector shading unit that performs vector dot product operations” which Ho does not explicitly teach. However, it would have been obvious for use vector shading unit performing vector calculation in Phong’s illumination model (Ho, page 18, lines 1-4) because in that model, the dot products between the light vector, camera vector, and surface normal have been used to calculate the Reflection values to enhance the shaded object.

Claim 9 adds into claim 8 “the vector shading unit performs color scaling operations” which Ho teaches in page 19, lines 3-11 (e.g., ObjectColor).

Claim 10 adds into claim 4 “the vector generation unit receives a bump map vector and combines the bump map vector with the normal vector to produce a composite surface angle vector” which Ho teaches in page 20, lines 32-36 (TbumpMap).

Claim 11 adds into claim 4 “the vector shading unit receives eye vector information” which Ho teaches in page 17, lines 20-21 (Camera vector). Ho does not explicitly teach “generate a view reflection vector” from the viewing vector. However, it would have been obvious for “generate a view reflection vector” from the viewing vector because the reflection light must be depend upon the viewing angle or vector for naturally representing the realistic model as showed in Phong model (Ho, page 18, lines 1-4).

Claim 12 adds into claim 11 “a texture memory communication with the programmable hardware logic” which Ho teaches in RAM 22 (figure 2; page 19, lines 25-30).

As per claim 13, Ho teaches the claimed “graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system” (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to perform a sequence of lighting calculations that generate specular lighting value coefficients for a plurality of the drawn pixels (Ho, TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. per-pixel user programmable hardware logic communicating with the dedicated hardware logic to receive the lighting coefficients and perform additional shading calculations using the specular lighting value coefficients (Ho, e.g., TimageMapShader, page 24, lines 33-36;

TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as “per-pixel” as claimed. However, Ho’s shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as “per-pixel” as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H’s system as claimed because the process “per-pixel” of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 14 adds into claim 13 “the dedicated hardware logic communicates with the programmable hardware logic through one or more shared registers” which Ho does not explicitly teach. However, it would have been obvious for the hardware logics to communicate through the shared registers because the use of common shared registers improves the simplification of the hardware and reduces the cost to build the logic (Ho, page 24, lines 33-37).

Claim 15 adds into claim 13 “the dedicated hardware logic comprises logic that uses the lighting coefficients in the calculation of a color value” which H teaches in page 19, lines 3-13.

Claim 16 adds into claim 13 “the dedicated hardware logic includes a vector generation unit that receives vertex values for the polygon surfaces and calculates a 3-

dimensional, unit-length surface normal vector" which Ho teaches in page 17, line 16 (e.g., surface normal N).

Claim 17 adds into claim 16 "the vector generation unit calculates a 3-dimensional, unit-length view reflection vector" which Ho teaches in page 17, line 19 (Light Reflection vector R).

Claim 18 adds into claim 13 "the dedicated hardware logic includes a point light unit that calculates normalized point light vectors" which Ho teaches in page 17, line 17 (Light vector L)

Claim 19 adds into claim 18 "the point light unit calculates scalar distance coefficients" which Ho teaches in page 17, lines 14-15 (Light attenuation factor).

Claim 20 adds into claim 13 "the dedicated hardware logic includes a vector shading unit that performs vector dot product operations" which Ho does not explicitly teach. However, it would have been obvious for use vector shading unit performing vector calculation in Phong's illumination model (Ho, page 18, lines 1-4) because in that model, the dot products between the light vector, camera vector, and surface normal have been used to calculate the Reflection values to enhance the shaded object.

Claim 21 adds into claim 20 "the vector shading unit performs color scaling

operations" which Ho teaches in page 19, lines 3-11 (e.g., ObjectColor).

Claim 22 adds into claim 16 "the vector generation unit receives a bump map vector and combines the bump map vector with the normal vector to produce a composite surface angle vector" which Ho teaches in page 20, lines 32-36 (TbumpMap).

Claim 23 adds into claim 16 "the vector shading unit receives eye vector information" which Ho teaches in page 17, lines 20-21 (Camera vector). Ho does not explicitly teach "generate a view reflection vector" from the viewing vector. However, it would have been obvious for "generate a view reflection vector" from the viewing vector because the reflection light must be depend upon the viewing angle or vector for naturally representing the realistic model as showed in Phong model (Ho, page 18, lines 1-4).

Claim 24 adds into claim 13 "a texture memory communication with the programmable hardware logic" which Ho teaches in RAM 22 (figure 2; page 19, lines 25-30).

As per claim 25, Ho teaches the claimed "graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system" (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to

perform a sequence of lighting calculations that generate diffuse lighting value coefficients for a plurality of the drawn pixels (Ho, TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. user programmable hardware logic communicating with the dedicated hardware logic to receive the lighting coefficients and perform additional shading calculations using the diffuse lighting value coefficients (Ho, e.g., TimageMapShader, page 24, lines 33-36; TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as "per-pixel" as claimed. However, Ho's shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as "per-pixel" as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H's system as claimed because the process "per-pixel" of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 26 adds into claim 25 "the dedicated hardware logic communicates with the programmable hardware logic through one or more shared registers" which Ho does not explicitly teach. However, it would have been obvious for the hardware logics to communicate through the shared registers because the use of common shared registers improves the simplification of the hardware and reduces the cost to build the logic (Ho, page 24, lines 33-37).

Claim 27 adds into claim 25 "the dedicated hardware logic comprises logic that

uses the lighting coefficients in the calculation of a color value" which H teaches in page 19, lines 3-13.

Claim 28 adds into claim 25 "the dedicated hardware logic includes a vector generation unit that receives vertex values for the polygon surfaces and calculates a 3-dimensional, unit-length surface normal vector" which Ho teaches in page 17, line 16 (e.g., surface normal N).

Claim 29 adds into claim 28 "the vector generation unit calculates a 3-dimensional, unit-length view reflection vector" which Ho teaches in page 17, line 19 (Light Reflection vector R).

Claim 30 adds into claim 25 "the dedicated hardware logic includes a point light unit that calculates normalized point light vectors" which Ho teaches in page 17, line 17 (Light vector L)

Claim 31 adds into claim 30 "the point light unit calculates scalar distance coefficients" which Ho teaches in page 17, lines 14-15 (Light attenuation factor).

Claim 32 adds into claim 25 "the dedicated hardware logic includes a vector shading unit that performs vector dot product operations" which Ho does not explicitly teach. However, it would have been obvious for use vector shading unit performing

vector calculation in Phong's illumination model (Ho, page 18, lines 1-4) because in that model, the dot products between the light vector, camera vector, and surface normal have been used to calculate the Reflection values to enhance the shaded object.

Claim 33 adds into claim 32 "the vector shading unit performs color scaling operations" which Ho teaches in page 19, lines 3-11 (e.g., ObjectColor).

Claim 34 adds into claim 28 "the vector generation unit receives a bump map vector and combines the bump map vector with the normal vector to produce a composite surface angle vector" which Ho teaches in page 20, lines 32-36 (TbumpMap).

Claim 35 adds into claim 28 "the vector shading unit receives eye vector information" which Ho teaches in page 17, lines 20-21 (Camera vector). Ho does not explicitly teach "generate a view reflection vector" from the viewing vector. However, it would have been obvious for "generate a view reflection vector" from the viewing vector because the reflection light must be depend upon the viewing angle or vector for naturally representing the realistic model as showed in Phong model (Ho, page 18, lines 1-4).

Claim 36 adds into claim 25 "a texture memory communication with the programmable hardware logic" which Ho teaches in RAM 22 (figure 2; page 19, lines

25-30).

As per claim 37, Ho teaches the claimed “graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system” (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to perform a sequence of lighting calculations including the calculation of a substantially normalized point light vector (Ho’s Light Vector L, page 17, line 17) (Ho, TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. user programmable hardware logic communicating with the dedicated hardware logic to receive the substantially normalized point light vector and perform additional shading calculations (Ho, e.g., TimageMapShader, page 24, lines 33-36; TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as “per-pixel” as claimed. However, Ho’s shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as “per-pixel” as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H’s system as claimed because the process “per-pixel” of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 38 adds into claim 37 “point light data provided to the graphics processing unit” which Ho teaches in page 17, lines 25-26 (light sources).

Claim 39 adds into claim 38 “the point light data includes a surface position vector and point light position vector” which Ho teaches in page 17, lines 16-18.

Claim 40 adds into claim 38 “point light data for multiple light sources is input into the graphics processing unit in order to produce multiple normalized point light vectors” (Ho’s plurality of special light sources effect on the objects; page 17, lines 25-26).

Claim 41 adds into claim 38 “the substantially normalized point light vectors for the multiple light sources are calculated in parallel” (Ho’s pipeline system performing the parallel calculation improving the efficiency of the system and reducing the operation time).

Claim 42 adds into claim 38 “the dedicated hardware is operable to calculate a dot product” which Ho does not explicitly teach. However, it would have been obvious for use vector shading unit performing vector calculation in Phong’s illumination model (Ho, page 18, lines 1-4) because in that model, the dot products between the light vector, camera vector, and surface normal have been used to calculate the Reflection values to enhance the shaded object.

Claim 43 adds into claim 38 “the substantially normalized point light vector

includes a value that represents the intensity of the light at a surface point of a polygon surface" (Ho's light vector L in which the intensity of the light at the surface enhances the shading process and improves the quality of the visual representation of the object. Surface)

As per claim 44, Ho teaches the claimed "graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system" (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to perform a sequence of lighting calculations including the calculation of a surface normal vector (Ho, Surface Normal N, page 17; TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. user programmable hardware logic communicating with the dedicated hardware logic to receive the surface normal vector and perform additional shading calculations (Ho, e.g., TimageMapShader, page 24, lines 33-36; TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as "per-pixel" as claimed. However, Ho's shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as "per-pixel" as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H's system as claimed because the process "per-pixel" of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 45 adds into claim 44 “the dedicated hardware logic communicates with the programmable hardware logic through one or more shared registers” which would have been obvious because the use of common shared registers improves the simplification of the hardware and reduces the cost to build the logic (Ho, page 24, lines 33-37).

Claim 46 adds into claim 45 “wherein the dedicated hardware logic includes a vector generation unit that receives vertex values for the polygon surfaces and calculates a 3-dimensional, unit-length surface normal vector” which Ho teaches in page 17, line 16 (e.g., surface normal N).

Claim 47 adds into claim 45 “the vector generation unit calculates a 3-dimensional, unit-length view reflection vector” which Ho teaches in page 17, line 19 (Light Reflection vector R).

As per claim 48, Ho teaches the claimed “graphics processing unit for use in a system for lighting a plurality of polygon surfaces in a rendering system” (Ho, figure 2), the graphics processing unit comprising: a. dedicated hardware logic operable to perform a sequence of lighting calculations including the calculation of a reflection vector (Ho, Light reflection Vector R, page 17; TreflectanceShader, page 16, lines 24-24; page 18, lines 1-4; page 19, lines 3-8); and b. user programmable hardware logic communicating with the dedicated hardware logic to receive the reflection vector and

perform additional shading calculations (Ho, e.g., TimageMapShader, page 24, lines 33-36; TprocedureMapShader, page 26, lines 27-29; ...). It is noted that Ho does not explicitly teach the characteristic of the system as “per-pixel” as claimed. However, Ho’s shading evaluation performs calculation at each vertex pixels and interpolates the remaining pixels suggests the property of system as “per-pixel” as claimed. Thus, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to configure H’s system as claimed because the process “per-pixel” of the system will enhance the quality of the visual representation of the object on the screen (Ho, page 10, lines 14-15).

Claim 49 adds into claim 48 “the dedicated hardware logic communicates with the programmable hardware logic through one or more shared registers” which Ho does not explicitly teach. However, it would have been obvious for the hardware logics to communicate through the shared registers because the use of common shared registers improves the simplification of the hardware and reduces the cost to build the logic (Ho, page 24, lines 33-37).

Claim 50 adds into claim 49 “wherein the dedicated hardware logic includes a vector generation unit that receives vertex values for the polygon surfaces and calculates a 3-dimensional, unit-length surface normal vector” which Ho teaches in page 17, line 16 (e.g., surface normal N).

Claim 51 adds into claim 50 “the vector generation unit calculates a 3-dimensional, unit-length view reflection vector” which Ho teaches in page 17, line 19 (Light Reflection vector R).

RESPONSE TO APPLICANT'S ARGUMENTS:

Applicant's arguments filed on 9/29/2004 have been fully considered but they are not deemed to be persuasive.

Applicant argues that Ho does not teach “a dedicated hardware” as claimed. However, the claimed language is “dedicated hardware logic” in which the logic can be interpreted in programming as operations that define what a given program does. Therefore, the claimed “dedicated hardware logic” can be interpreted as the operations of a program performed by a dedicated hardware. In a computer system, the result from calculation of a process is always a combination of software and hardware in which the software defines the logic and the hardware performs the operations of the logic. In Ho case, the dedicated hardware is the CPU 21 (Ho, page 5, lines 10-11) that performs the logics of the light calculations.

Applicant argues that Ho does not teach “user programmable hardware” as claimed. However, similar to the arguments above, the claimed language is “user programmable hardware logic” in which the logic can be interpreted in programming as operations that define what a given program does. Therefore, the claimed “user programmable hardware logic” can be interpreted as the operations of a program

Art Unit: 2673

performed by a user programmable hardware. In a computer system, the result form calculation of a process is always a combination of software and hardware in which the software defines the logic and the hardware performs the operations of the logic. In Ho case, the user programmable hardware is the CPU 21 (Ho, page 5, lines 10-11) that performs the logics of the light calculations.

Applicant argues that "the 'per-pixel' nature of the calculations makes the Ho approach probably unworkable in such an environment" which Examiner does not agree because Applicant's speculation is stated without any proof to support. Ho's hardware including the CPU 21 in combination with OOP language (page 6, lines 5-25) would provide a compatible mythology to perform a "object-lighting" process for pixels of object as claimed (page 10, lines 14-15).

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phu K. Nguyen whose telephone number is (571) 272 7645. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on (571) 272 7681. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Phu K. Nguyen
March 28, 2005

Phu Nguyen
PHU K. NGUYEN
PRIMARY EXAMINER
GROUP 2400